

005

leggings

SIZE RANGE
XS-XXL



Street Style PATTERNS

preparation

SUPPLIES

MATERIALS

- **Medium weight jersey knit fabric. Some lycra in the fabric works best**
 - ↳ 1.25 YARDS (METERS) FOR ALL SIZES. BASED ON FABRIC 58" (147CM) WIDE
- **42" (106cm) piece of drawstring**
 - ↳ WE RECOMMEND JERSEY FABRIC CUT 2" WIDE

MACHINES

- **Serger**
- **Sewing Machine**
- **Coverstitch (recommended)**
 - ↳ A TWIN NEEDLE OR ZIG-ZAG STITCH MAY BE USED IN PLACE OF A COVERSTITCH

TOOLS

- **Scissors or rotary cutter**
- **Pins**

PRINT & ASSEMBLE

Print the pattern pages only (not the photos)

↳ FOLLOW PHOTO INSTRUCTIONS ON YOUR COMPUTER TO SAVE INK

Print 'actual size' no custom scaling or fitting to page

You can see example photos on the next page


↳ PHOTOS ARE EXAMPLES ONLY AND MAY NOT REPRESENT THIS PATTERN

assembling pattern


→ PHOTOS ARE EXAMPLES ONLY
AND MAY NOT REPRESENT
YOUR PATTERN

→ Open this file in Adobe reader and scroll to the bottom to see the pattern. (get adobe reader [here](#) if you don't have it)

→ Click the layers icon on the left of the page. Deselect any sizes you don't want by clicking the 'eye' icon





→ Go to 'file' then 'print' to open the print dialog. Select actual size. Print on letter or A4 paper.




→ Print the pattern pages. They will look similar to these. Cut around the black outlining boxes of each page.

→ Tape the pages together based on the numbered circles in the corners.



→ This is what pattern 3 will look like after being taped together. 17 pages total.



measurements

inches

BODY

	XS	S	M	L	XL	XXL
BUST	33.5	35.5	37.5	39.5	40.75	43
WAIST	25	27.25	29.75	31.25	32.75	34.25
LOW HIP	35.25	37.5	40	41.5	43	44.5
INSEAM	29.5	30	30.5	30.75	31	31
THIGH	19.5	20.75	22.5	24	25.5	26
BICEPS	10.25	10.75	11.25	11.5	11.75	12

FINISHED GARMENT

	XS	S	M	L	XL	XXL
INSEAM	30	31	31.5	31.75	32	32.25
FRONT RISE	8.1	8.8	9.5	9.9	10.3	10.6
OUTSEAM	37.6	38.7	39.6	40	40.4	40.6

CM →

measurements

centimeters

BODY

	XS	S	M	L	XL	XXL
BUST	84.75	89.75	96.25	100	103.75	109.2
WAIST	63.5	69.25	75.5	79.5	83.25	87
LOW HIP	89.5	94.75	101.5	105.5	109.25	113
INSEAM	75	76.25	77.5	78	78.75	78.75
THIGH	49.75	52.5	57.5	61	64.5	66
BICEPS	26	27.25	28.5	29.25	29.75	30.5

FINISHED GARMENT

	XS	S	M	L	XL	XXL
INSEAM	76.2	78.7	80	80.6	81.3	81.9
FRONT RISE	20.6	22.3	24.1	25.1	26.1	26.9
OUTSEAM	95.5	98.3	100.6	101.6	102.6	103.1

CUT OUT MATERIALS

SEAM ALLOWANCE IS INCLUDED
AND LISTED ON PATTERN

- 2 legs
- 1 waistband
- 1 drawstring cut 42" (106 cm) long

↳ I LIKE USING A 2" WIDE PIECE
OF THE FABRIC



START SEWING

- ① If you will be hemming with your sewing machine, serge across the bottom hem of the legs

↳ MAKE SURE THE SERGED SEAM IS LOOSE SO YOU CAN EASILY PULL IT OVER YOUR FOOT



- ② Serge each inseam closed on the legs, right sides of fabric together



- ③ Turn one leg right-side-out



- Place the right-side-out leg inside the inside out leg. Line up the crotch seam



- Serge the crotch seam closed in a 'U' shape



- Pull the leg out and leggings should look like this

- ④ Fold waistband in half, parallel to the grainline. Right sides of fabric together. Serge closed along the end



- Fold waistband in half the opposite way so wrong sides of fabric are together, the seam is hidden and you formed a circular band



- Place waistband inside the leggings waist (leggings are still inside out)

↳ THE FOLDED EDGE OF THE WAISTBAND WILL BE TO THE INSIDE AND THE RAW EDGES WILL LINE UP WITH THE RAW WAIST



- Pin waistband notch to center front legging seam

- Pin waistband seam to center back legging seam

- While stretching the waistband evenly to fit the waist, serge it on in a full circle



↳ PULL WAISTBAND OUT TO LOOK LIKE THIS



- ⑤ Turn leggings right side out now, fold the ankle hems inside 3/4" (2cm) and hem around the top with your double needle, zig-zag stitch or coverstitch

↳ MAKE SURE THE SEAM ISN'T TOO TIGHT SO IT CAN STRETCH OVER YOUR FOOT



- ⑥ At the center front of your waistband, clip 2 tiny holes about 1”(2.5cm) apart. Only through the first layer



- Thread your drawstring through the waistband with a safety pin and knot the ends to the length you like



- Sew over the drawstring at the center back waist so it won't come out



IRON LEGGINGS AND YOU ARE DONE!



Street Style ON THE WEB

WEBSITE:

StreetStylePatterns.com

FACEBOOK:

Facebook.com/streetstylepatterns

INSTAGRAM:

Instagram.com/streetstylepatterns

If you would like to show off your creations or ask questions of other people using our patterns, join our group!

Facebook.com/groups/Streetstylepatterns/


Property of Street Style Patterns 2016
This pattern may not be published on the internet or otherwise,
it may not be copied, duplicated or distributed in any form.
This pattern is protected under copyright.


Street Style pattern 3


Waistband
→ cut 1 on fold


1/8" (2mm)
notch


FOLD LINE

















← 3.5 INCHES (8.9 cm) →

Measure to ensure printing accuracy
SIZE GUIDE

XS: -----

S: -----


M: -----

L: -----

XL: -----

XXL:

↑ 2.5 INCHES (6.35 cm) ↓



1

2

10

11

Leg


→ CUT 2


- 1 with pattern facing up
- 1 with pattern facing down
- to get opposites


1/4" (6mm) seam allowance included in all pieces.




Street Style pattern 3










10

11




19

20


11

12



20

21



12

13

21

22